

14th International LS-DYNA[®] Users Conference 2016

Hosted by

Livermore Software Technology Corporation (LSTC)

DYNAmore GmbH

June 12-14, 2016
Dearborn, Michigan USA

Editor
Cathie Walton

Corporate Address

Livermore Software Technology Corporation
P.O. Box 712
Livermore, California 94551-0712

Support Addresses

Livermore Software Technology Corporation
7374 Las Positas Road
Livermore, California 94551
Tel: 925-449-2500 • Fax: 925-449-2507
Email: sales@lstc.com
Website: www.lstc.com

Livermore Software Technology Corporation
1740 West Big Beaver Road
Suite 100
Troy, Michigan 48084
Tel: 248-649-4728 • Fax: 248-649-6328

Disclaimer

Copyright © 2016 Livermore Software Technology Corporation

LS-DYNA[®], LS-OPT[®] and LS-PrePost[®] are registered trademarks of Livermore Software Technology Corporation in the United States.

LS-TaSC[™] is a trademark of Livermore Software Technology Corporation in the United States.

All other trademarks, product names and brand names belong to their respective owners.

LSTC or the authors cannot be held responsible for any mistakes made in the manuscripts of the conference proceedings.

Permission to reproduce any papers contained herein is granted provided that credit is given to LSTC, the author and his/her company. Authors retain their respective copyrights.

ISBN 978-0-9778540-1-1

LSTC gratefully acknowledges our Conference Sponsors:

Platinum Sponsors

FEA Information and Distributors

Welcome Reception

Microsoft

Conference Banquet

Engineering Technology Associates, Inc.

Conference Bag

Cray

Registration – Cyber Café

Gold Sponsors

Moldex3D

ARUP

Dalian Fukun

DYNAmoreGmbH

Silver Sponsors

SGI

Total CAE

Beta CAE

Intel

Bronze Sponsors

ANSYS

CDH

CEI

DataPoint Labs

Dell

Detroit Engineered Products

ESI North America

e-Xstream

Gompute

JSOL

Humanetics

LS-DYNA Online

Penguin Computing

Predictive Engineering

Red Cedar Technology

Rescale

Monday, June 13, 2016, 8:20 a.m.

Welcome Remarks

Introduction of Speakers

Dilip Bhalsod, LSTC

Plenary Session (1)

“Then, Now, and Tomorrow : Leading the Design with CAE”

Kenneth J. Bonello

General Motors

“Driving Innovation – A Journey”

Nand Kochhar

Ford Motor Company

“Recent Advances in Isogeometric Analysis in LS-DYNA[®]”

David J. Benson

University of California, San Diego

“A New Versatile Tool for Simulation of Failure in LS-DYNA[®]”

Paul Du Bois

Consulting Engineer

“New Features in LS-PrePost[®] & Its Future Developmentst”

Philip Ho

LSTC

“CFD Simulation with LS-DYNA[®]”

Facundo Del Pin

LSTC

Tuesday, June 14, 2016, 1:45 p.m.

Plenary Session (2)

Technology Today

Presentations by Conference Sponsors

Final Keynote Presentation

“Recent and Ongoing Developments in LS-DYNA[®]”

John O. Hallquist

Chi-Hsien Wang

Xinhai Zhu

Thomas Borrvall

Cheng-Tang Wu

Isheng Yeh

Thomas Klöppel

Ināki Çaldichoury

Yun Huang

Closing Remarks

Session 1 – FSI/ALE (1)

Multi-Physics Applications for Ground Vehicle Aerodynamics: Structural Thermal Radiation Coupled to CFD for a More Accurate Temperature Prediction1-1
F. Del Pin, A. Shapiro, I. Caldichoury, R. R. Paz, J. Anton

Computational Fluid Dynamic of NACA0012 with LS-DYNA® (ALE & ICFD) and Wind Tunnel Tests1-2
B.Perin, O.Verdrel, P.Bordenave, E.Grippon, V.Lapoujade, H.Belloc, I. Caldichoury

Validation of the ALE Methodology by Comparison with the Experimental Data Obtained from a Sloshing Tank1-4
A.L. Kozak, P.K. Tehrani, T.E. Abrahamson, A.V. Krimotat

New Conjugate-Heat Transfer Solvers in the Compressible CESE Solver in LS-DYNA®1-5
G.O. Cook, Jr., Z-C. Zhang

Adaptive Thermal Boundary Conditions for Smoothed Particle Hydrodynamics1-6
K. Fraser, L.I. Kiss, L. St-George

Session 2 – Automotive (1)

Test and Numerical Simulation of Fixed Bollard and Removable Bollard Subjected to Vehicle Impact2-1
C-K. Ang, S-F. Lim, J-Y. Kong

Design and Validation of a Crash Rated Bollard as per SD-STD-02.01 Rev. A (2003) Standard using LS-DYNA®2-2
S. R. Deshpande, S.E. Chopade, Maj. A. Mitra, N.V. Karanth

Vehicle Seat Bottom Cushion Clip Force Study for FMVSS No. 207 Requirements2-3
J. Jang

Development of a Simplified Finite Element Approach for Investigation of Heavy Truck Occupant Protection in Frontal Impacts and Rollover Scenarios2-4
C.S. Dobrovolny, N. Schulz

A 6 Year-Old Pediatric Finite Element Model for Simulating Pedestrian Impacts2-5
Y. Meng, B. Guleyupoglu, B. Koya, S. Gayzik, C.D. Untaroiu

Session 3 – Blast

Development of a Finite Element Model of the WIAMan Lower Extremity to Investigate Under-body Blast Loads3-1
W. Baker, C. Untaroiu, M. Chowdhury

Comparison of Strategies for Landmine Modeling in LS-DYNA® with Sandy Soil Material Model Development3-2
M. Barsotti, E. Sammarco, D. Stevens

Simulation of Blast Load Reduction on Walls with Foamed Concrete Boards3-3
Y. Shi

Session 3 – Blast *(continued)*

Sensitivity of Particle Size in Discrete Element Method to Particle Gas Method (DEM_PGM)	
Coupling in Underbody Blast Simulations	3-5
V. Babu, K. Kulkarni, S. Kankanalapalli, R. Thyagarajan	
Coupling of Particle Blast Method (PBM) with Discrete Element Method for Buried Mine Blast Simulation	3-7
H. Teng	

Session 4 – Constitutive Modeling (1)

Modeling Rebar in Reinforced Concrete for ALE Simulations	4-1
S.K.Tay, J.K. Poon, R. Chan	
Evaluation of Various Numerical Methods in LS-DYNA® for 3D Crack Propagation	4-2
A. Tabiei, W. Zhang	
Necking and Failure Simulation of Lead Material Using ALE and Mesh Free Methods in LS-DYNA®	4-3
S. Tokura	
LS-DYNA® Peridynamics for Brittle Fracture Analysis	4-4
B. Ren, C.T Wu, E. Askari	

Session 5 – Simulation (1)

Introduction of Rotor Dynamics using Implicit Method in LS- DYNA®	5-1
L. Li , R. Grimes, T. Borrvall	
Application of LS-DYNA® to NVH Solutions in the Automotive Industry	5-2
P.S. Kondapalli, T. Jankowiak	
Application of the Discrete Elements Method to Frequency Analysis and Use of the “Bond” Method for Fracture Modeling	5-3
T. Legaud, E. Gripon, V. Lapoujade, Y. Gourinat, P-L. Chiambaretto	
Vibration Analysis of a Compressor Blade at High Temperature	5-5
D. Downes, M.N. Ensan	
Virtual ROPS and FOPS Testing on Agricultural Tractors According to OECD Standard Code 4 and 10	5-6
D.H. Blanco, C. Martin, A. Ortalda	

Session 6 – Simulation (2)

Recent Advances on Higher Order 27-node Hexahedral Element in LS-DYNA®	6-1
H. Teng	
Current Status of LS-DYNA® Iso-geometric Analysis in Crash Simulation	6-2
Y. Chen, S-P. Lin, O. Faruque, J. Alanoly, M. El-Essawi, R. Baskaran	

Session 6 – Simulation (2) *(continued)*

Frequency Domain Analysis for Isogeometric Element in LS-DYNA®6-3
L. Li, Y. Huang, Z. Cui, S. Hartmann, D.J. Benson

Effect of Thin-walled Tube Geometry on its Crashworthiness Performance6-4
A. Kuznetcov, I. Telichev, C.Q. Wu

Friction in LS-DYNA®: Experimental Characterization and Computational Applications6-6
S. Dong, A. Sheldon, K. Pydimarry, M. Dapino

Session 7 – Aerospace (1)

Material Testing for Development and Calibration of Material Models for Plastic Deformation and Failure7-1
A. Gilat, J. Seidt

Test and Simulation Comparison using Titanium Material Models based on MAT2247-2
L. Wang, F. Dicecca, S. Haight, K. Carney, P. DuBois, W. Emmerling, C-D. Kan

A Comparison of Isotropic (*MAT_224) and Anisotropic (*MAT_264) Material Models in High Velocity Ballistic Impact Simulations7-3
S. Haight, P.Du Bois, C-D. Kan

Incorporation of Inconel-718 Material Test Data into Material Model Input Parameters for *MAT_2247-5
S. Dolci, K. Carney, L. Wang, P. Du Bois, C-D. Kan

Characterization of the Lode = -1 Meridian on the Al-2024 Failure Surface for *MAT_224 in LS-DYNA®7-7
R.L. Lowe, J.D. Seidt, A. Gilat

A Comparison of Monolithic and Layered-Plate Configurations for Containment7-8
T.J. Vasko

Session 8 – NVH

Statistical Energy Analysis for High Frequency Acoustic Analysis with LS-DYNA®8-1
Z. Cui, Y. Huang, M.Souli, T. Zeguar

Session 9 – Automotive (2)

Latest developments in Automotive Aerodynamics using LS-DYNA®9-1
I. Çaldichoury, F. Del Pin, R. Paz

Durability Assessment of Welded Structures Based on Welding Simulation with LS-DYNA®9-2
A. Krasovskyy, A. Virta, T. Klöppel

Session 9 – Automotive (2) *(continued)*

Recent Updates for the Heat Transfer Solver in LS-DYNA[®] with Focus on Computational Welding Mechanics	9-3
T. Klöppel, M. Schill, T. Loose	

Session 10 – Composites

Broad-Spectrum Stress and Vibration Analysis of Large Composite Container	10-1
A. Jensen, G. Laird, A. Tayne	
Computational Modeling of Geosynthetic Reinforced Soil (GRS) Composites Under Axial Loading	10-2
M. Sitek, C. Bojanowski	
Delamination Prediction of Uni-Directional Composite Laminates using Shell Elements and a Strain Rate Dependent Micro-mechanical Material Model	10-4
S. Medikonda, A. Tabiei	
Droptower Impact Testing & Modeling of 3D-Printed Biomimetic Hierarchical Composites	10-5
G.X. Gu, S. Kooi, A.J. Hsieh, C-F. Yen, M.J. Buehler	

Session 11 – Constitutive Modeling (2)

Assessing and Validating the Crash Behavior of Securalox[®]HS, a High-Strength Crashworthy Aluminum Alloy, Using the GISSMO Model	11-1
C.J. Corbett, L. Laszczyk, O. Rebuffet	
Predictive Fracture Modelling in Crashworthiness:	
A Discussion of the Limits of Shell Discretized Structures	11-3
A. Haufe, F. Andrade, M. Feucht, H. Klamsner, D. Riemensperger, K. Schweizerhof	
A Standardized Mechanism to Validate Crash Models for Ductile Plastics	11-5
M. Lobdell, B. Croop, H. Lobo	
Mullins Effect in Rubber; Part Two: Biaxial	11-6
W.W. Feng, J.O. Hallquist	
Modeling Crack Propagation in Rubber	11-7
Y. Lev, K. Volokh	
Experimental and Numerical Investigation of the Tearing Resistance of a Parachute Woven Fabric using LS-DYNA[®]	11-8
B. Perin, Ch. Espinosa, R. Blois, P. Bordenave	

Session 12 – Simulation (3)

A Process for Robust Design of a Vehicle Front Structure Using Statistical Approach	12-1
M. Okamura	

Session 12 – Simulation (3) *(continued)*

The Significance of the Production Process of FRP Parts for the Performance in Crashworthiness12-2
C. Liebold, A. Erhart, A. Haufe

Quasi-Static Simulations using Implicit LS-DYNA[®]12-4
S. Pathy, T. Borrvall

Simulation of Wear Processes in LS-DYNA[®]12-5
T. Borrvall, A. Jernberg, M. Schill

Modeling and Simulations of Vehicular Impacts on W-Beam Rail with Raised Blockouts12-6
C.S. Dobrovolny, N. Schulz, R.P. Bligh, C. Lindsey

A Robust Cohesive Zone Model for Cyclic Loading12-7
A. Tabiei, W. Zhang

Session 13 – Simulation (4)

Validating Innovative Design Solutions - Analysis of the Gerald Desmond Bridge Replacement13-1
F. Lancelot, D-L. Li, M. Nelson, M. Carter

Durability Study of Tractor Seat Using LS-DYNA[®]13-2
J. Erancheri, R. Venkatesan

Robust Modelling and Validation Analysis on the Raffles City Chongqing Project13-3
Z-G. Liu, S-C. Wu, X. Dong, F. Lancelot, L-G. Zhu

Session 14 – Electromagnetic

Saving Calculation Time for Electromagnetic/ Mechanical/Thermal Coupled Simulations by Using the New EM 2D/3D Capabilities14-1
I. Çaldichoury, P. L'Eplattenier

Numerical Study of an Interrupted Pulse Electromagnetic Expanding Ring Test14-4
J. Imbert, M. Worswick

Calculating Electromagnetic Field (EMF) Distortion to Maintain and Secure Electric Transmission Lines14-5
J. Puryear, D. Rodriguez, I. Çaldichoury

A Distributed Randle Circuit Model for Battery Abuse Simulations Using LS-DYNA[®]14-7
N. Aulig, E. Nutwell, S. Menzel, D. Detwiler

Battery Abuse Case Study Analysis Using LS-DYNA[®]14-8
J. Marcicki, A. Bartlett, X.G. Yang, V. Mejia, M. Zhu, Y. Chen, P. L'Eplattenier, I. Çaldichoury

Study on Ultra-high Electro-Magnetic Flux Generation using LS-DYNA[®] Multi-Physics Capability ..14-3
K. Takekoshi
** Note: This Paper not presented at 14th LS-DYNA Users Conference; it's available electronically on the conference thumb drive only.*

Session 15 – Aerospace (2)

Using Tabulated Experimental Data to Drive an Orthotropic Elasto-Plastic Three-Dimensional Model for Impact Analysis15-1
C. Hoffarth, B. Khaled, S.D. Rajan, R. Goldberg, K. Carney, P. DuBois, G. Blankenhorn

Incorporation of Damage and Failure Into an Orthotropic Elasto-Plastic Three-Dimensional Model with Tabulated Input Suitable for Use in Composite Impact Problems15-3
R. Goldberg, K. Carney, P. DuBois, G. Blankenhorn

Development of a Subcell Based Modeling Approach for Modeling the Architecturally Dependent Impact Response of Triaxially Braided Polymer Matrix Composites15-5
C. Sorini, A. Chattopadhyay, R.K. Goldberg, L. Kohlman

Analysis and Testing of a Composite Fuselage Shield for Open Rotor Engine Blade-Out Protection15-6
J.M. Pereira, W. Emmerling, S. Seng, C. Frankenberger, C.R. Ruggeri, D.M. Revilock, K.S. Carney

Session 16 – Occupant Safety

LS-DYNA® Model Development of the Harmonized Hybrid III 05F Crash Test Dummy16-1
C.S. Shah, R. Barnes, G. Hu, J. Li

WorldSID 5% Dummy Model Development in Cooperation with German Automotive Industry16-2
S. Stahlschmidt, G. Dumitru, Y. Huang, U. Franz

Development and Validation of a 95th Percentile Male Pedestrian Finite Element Model16-3
W. Pak, C.D. Untaroiu

A Numerical Investigation of Human Biomechanical Response under Vertical Loading Using Dummy and Human Finite Element Models16-4
C.D. Untaroiu, J. Putnam

Session 17 – Metal Forming (1)

Recent Developments in the Metal Forming Modules in LS-PrePost® (1) : The EZSetup and 3D-Drawbead modules17-1
Q. Yan, K. Zhang, P. Ho, L. Zhang, Y. Xiao, X. Zhu

Recent Developments in the Metal Forming Modules in LS-PrePost® (2) : The Die System Module17-2
C. Zhang, P. Ho, Y. Xiao, L. Zhang, X. Zhu

The Influences of Tensile Test Directions and Yield Stress Selections on the FE Results of TBF1180 U-Channel17-3
Z. Qin, C-K. Hsiung

Metal Forming Automation using LS-OPT®17-4
K.C. Kuspudi

Session 18 – Simulation (5)

Simulating Pellet and Clad Mechanical Interactions of Nuclear Fuel Rod for Pressure Water Reactors	18-1
W. Zhao, D. Mitchell, R. Oelrich	
Interactive Dynamic Analysis of Subsea Lifting Ropes	18-3
G. Laird, K. Fraser, R. Marsh	
An Investigation into the Relationship between Wood Bat Durability and Bat Taper Geometry using LS-DYNA®	18-4
J. Fortin-Smith, J. Sherwood, P. Drane, D. Kretschmann	
Analysis of High Velocity Impact Penetration Using the Smoothed Particle Galerkin Method	18-5
Y. Wu, Y. Guo, C.T. Wu, W. Hu, J. Magallanes	

Session 19 – Modeling (1)

Development of a Finite Element Model of a Motorcycle	19-1
N. Schulz, C.S. Dobrovolny, S. Hurlebaus	
Model Set Up and Analysis Tools for Squeak and Rattle in LS-DYNA®	19-2
T. Fokilidis, J. Weber, M. Moridnejad	
CORrelation and Analysis (CORA) in Visual-Environment	19-3
M. Seshadri, R. Ramanna, S. Shetty	
Application of LS-DYNA® in Structural Fatigue Analysis and post-processing with LS-PrePost®	19-5
Y. Huang, Z. Cui, P. Ho, C. Zhang	

Session 20 – Computing Technology

Characterizing LS-DYNA Implicit Performance on SGI® Systems Using SGI MPInside MPI Profiling Tool	20-1
O. Schreiber, T. DeVarco, J. Custer, S. Shaw	
A Study of MPP LS-DYNA® Performance on Hardware Configurations	20-2
Y-Y. Lin, T. Ishibashi	

Session 21 – Aerospace (3)

Crash Testing and Simulation of a Cessna 172 Aircraft: Pitch Up Impact Onto Soft Soil	21-1
E.L. Fasanella, K. Jackson	
Crash Testing and Simulation of a Cessna 172 Aircraft: Hard Landing Onto Concrete	21-4
K. Jackson, E.L. Fasanella	

Session 22 – Optimization

**Preference-based Topology Optimization of Body-in-white Structures for
Crash and Static Loads**22-1
N. Aulig, E. Nutwell, S. Menzel, D. Detwiler

The LS-TaSC™ Multipoint Method for Constrained Topology Optimization22-2
W. Roux

LS-OPT® Status and Outlook22-3
N. Stander, A. Basudhar

Design optimization with Modal Assurance Criteria (MAC)22-6
S. Kinouchi, R. Ishii, M. Okamura

Use of Data Reduction Methods for Robust Optimization22-7
D. Borsotto, L. Jansen, R. Strickstroock, C-A. Thole

Session 23 – Occupant Safety (2)

**Identifying Traumatic Brain Injury (TBI) Thresholds Using Animal and Human Finite
Element Models Based on in-vivo Impact Test Data**23-1
K. Yates, C. Untaroiu

**Finite Element Investigation of Injury Risks of Immature Pelvis and Femur in
Pedestrian Impact**23-2
M. Shen, B. Jiang, A. Kalra, Y. Shu, R. Zhou, X. Jin, K.H. Yang

Airbag Inflator Models in LS-DYNA®23-3
K-S. Im, Z-C. Zhang, G.O. Cook, Jr.

Low Risk Deployment Passenger Airbag – CAE Applications & Strategy23-5
B. Feng

Application of LSTC Hybrid III 5th Fast Dummy in 2nd Row Occupant Protection23-6
M-P. Lin, C-M. Chang, M-H. Wang, H-H. Chen
** Note: This Paper not presented at 14th LS-DYNA Users Conference; it's available electronically on the
conference thumb drive only.*

Session 24 – Metal Forming (2)

**Numerical Analysis of the Effects of Orthogonal Friction and Work Piece Misalignment
during an AA5042 Cup Drawing Process**24-1
A.G. Mackey

Advances in LS-DYNA® Metal Forming (I)24-2
X. Zhu, L. Zhang, Y. Xiao

Advances in LS-DYNA® Metal Forming (II)24-3
X. Zhu, L. Zhang, Y. Xiao

Session 25 – Constitutive Modeling (3)

A Complementary Experimental and Modeling Approach for the Characterization of Maple and Ash Wood Material Properties for Bat/Ball Impact Modeling in LS-DYNA®25-1
J. Fortin-Smith, J. Sherwood, P. Drane, D. Kretschmann

***MAT_PAPER and *MAT_COHESIVE_PAPER: Two New Models for Paperboard Materials**25-2
J. Karlsson, M. Schill, J. Tryding

Constitutive Modeling for Composite Forming Simulation and Development of a Tool for Composite Material Design25-3
M. Nishi, T. Hirashima, S. Wang

Modeling Pre and Post Tensioned Concrete25-5
L. Schwer
** Note: This Paper not presented at 14th LS-DYNA Users Conference; it's available electronically on the conference thumb drive only.*

Jones-Wilkens-Lee (JWL) Equation of State with Afterburning25-6
L. Schwer
** Note: This Paper not presented at 14th LS-DYNA Users Conference; it's available electronically on the conference thumb drive only.*

Session 26 – Simulation (6)

LS-DYNA® Structured ALE (S-ALE) Solver26-1
H.Chen

FSI with Chemistry based on the Immersed Boundary Method in the LS-DYNA® CESE Compressible Flow Solver26-2
K-S. Im, Z-C. Zhang, G. Cook, Jr.

Staged Construction of an API 650 Tank on a Settling Foundation26-3
A. Hay, R. du Preez, R. Minnaar

Session 27 – Connections

Recent Developments for Welding Simulations in LS-DYNA® and LS-PrePost®27-1
M. Schill, A. Jernberg, T. Klöppel

A Cohesive Element Model for Large-Scale Crash Analyses in LS-DYNA®27-2
J.K. Sønstabøa, D. Morina, M. Langsetha

Development and Validation of Bolted Connection Modeling in LS-DYNA® for Large Vehicle Models27-3
M. Hadjioannou, D. Stevens, M. Barsotti

Session 28 – Modeling (2)

Recent Development of ICFD Pre and Post Processing in LS-PrePost®28-1
Y. Wenhui, P. W. Ho, I. Çaldichoury

New XY-Plot interface in LS-PrePost®28-2
P. Ho, L. Liangfeng, W. Yu, S. Pathy

Roof Rail Airbag Folding Technique in LS-PrePost® Using DYNFOLD Option28-3
V.C. Deshpande, W. Lian, A. Nair

Introducing New Capabilities of JFOLD Version 3 and Airbag Folding Examples Option28-4
R. Taylor, S. Yagishita, S. Hayashi

Session 29 – Computing Technologies (2)

Improvements for Implicit Linear Equation Solvers29-1
R. Grimes, B. Lucas, C. Weisbecker

Eigensolution Technology in LS-DYNA®29-2
R. Grimes

**LS-DYNA® Smoothed Particle Galerkin (SPG) Method with Strain Gradient
Stabilization and Thermal Effects**29-3
N.Y. Guo, C.T. Wu, W. Hu

LS-DYNA® Performance enhancement of Fan Blade off Simulation on Cray XC4029-5
R. Taylor, S. Yagishita, S. Hayashi

.....14-7

